

ABDOMINOPELVIC

Presentations may involve the abdomen, pelvis, flank, gastrointestinal, genitourinary system, and early pregnancy complications, as well as abnormal signs and symptoms such as fever, jaundice, pain, rash, hematuria, and nausea/vomiting.

Examples of specific conditions may include acute cholecystitis, appendicitis, pyloric stenosis, ureteral stone, ectopic pregnancy, black widow envenomation, testicular torsion, and genital herpes.

Right Lower Quadrant / Pelvic Pain

- Abnormal vital signs
 - Anorexia
 - Child
 - Diarrhea
 - Hematuria
 - Nausea / vomiting
 - Older adult
 - Potentially pregnant
 - Pregnant
 - Syncope
 - Vaginal bleeding
-

Left Lower Quadrant / Pelvic Pain

- Abnormal vital signs
 - Anorexia
 - Child
 - Diarrhea
 - Distention
 - Gastrointestinal bleeding
 - Hematuria
 - Nausea / vomiting
 - Older adult
 - Potentially pregnant
 - Pregnant
 - Syncope
 - Vaginal bleeding
-

Lower Abdominal / Pelvic Pain

- Abnormal vital signs
- Abdominal Distention
- Child
- Diarrhea
- Gastrointestinal bleeding
- Hematuria
- Nausea / vomiting
- Older adult
- Postpartum
- Post-traumatic
- Potentially pregnant
- Pregnant
- Syncope
- Vaginal bleeding
- Vaginal discharge

Right Upper Quadrant Pain

- Abnormal vital signs
 - Alcohol use disorder
 - Ascites
 - Child
 - Cough
 - Distention
 - Jaundice
 - Nausea / vomiting
 - Older adult
 - Post-traumatic
 - Potentially pregnant
 - Pregnant
 - Seizure
-

Left Upper Quadrant Pain

- Abnormal vital signs
 - Child
 - Distention
 - Gastrointestinal bleeding
 - Nausea / vomiting
 - Older adult
 - Post-traumatic
 - Splenomegaly
 - Vascular insufficiency/infarction
-

Epigastric Pain

- Abnormal vital signs
- Abdominal distention
- Alcohol use disorder
- Child
- Diarrhea
- Dyspnea
- Gastrointestinal bleeding
- Heartburn
- Jaundice
- Nausea / vomiting
- Older adult
- Postpartum
- Potentially pregnant
- Pregnant
- Syncope

Suprapubic / Pelvic Pain

- Abnormal vital signs
 - Child
 - Diarrhea
 - Hematuria
 - Mass
 - Nausea / vomiting
 - Older adult
 - Postpartum
 - Potentially pregnant
 - Pregnant
 - Syncope
 - Urinary catheter
 - Urinary symptoms
 - Vaginal bleeding
 - Vaginal discharge
-

Diffuse Abdominal Pain

- Abnormal vital signs
 - Alcohol use disorder
 - Altered consciousness
 - Ascites
 - Child
 - Constipation
 - Devices
 - Diarrhea
 - Distension
 - Foreign body
 - Gastrointestinal bleeding
 - Nausea / vomiting
 - Older adult
 - Postpartum
 - Post-traumatic
 - Potentially pregnant
 - Pregnant
 - Rash
 - Recent surgery
 - Shock
 - Syncope
-

Anorectal Pain

- Abnormal vital signs
- Abscess
- Child
- Constipation
- Diarrhea
- Foreign body
- Gastrointestinal bleeding
- Mass
- Older adult
- Post-traumatic

Flank / Retroperitoneal Pain

- Abnormal vital signs
 - Altered consciousness
 - Child
 - Hematuria
 - Nausea / vomiting
 - Older adult
 - Postpartum
 - Post-traumatic
 - Potentially pregnant
 - Pregnant
 - Rash
 - Syncope
 - Urinary symptoms
-

Genitalia Pain

- Abnormal vital signs
 - Abscess
 - Abuse
 - Adverse drug reaction
 - Bleeding
 - Child
 - Discharge
 - Foreign body
 - Itching
 - Mass
 - Older adult
 - Postpartum
 - Post-traumatic
 - Potentially pregnant
 - Priapism
 - Rash
 - Scrotal swelling
-

Pregnancy-related Problem

- Abnormal vital signs
- Altered consciousness
- Child
- Dizzy
- Dyspnea
- Missed period
- Nausea / vomiting
- No fetal movement
- Older adult
- Pain
- Post-traumatic
- Shock
- Syncope
- Vaginal bleeding
- Vaginal discharge
- Weak

September 2, 2020